


Spring Specials



SAVE \$250



22,500ltr RWT22500

\$3,250

DIA 3560 x H 2800mm Inlet H 2470mm

> Dinkum Doghouse

> > TDD3

\$250



* Beige





RRP \$260 URRM

* With any ST3100 or ST4550 purchase. Terms & conditions apply. See website

500mm Riser*

PolyPromos

Rainwater Tanks

Round Tanks

FEATURES SAVE → Certified to Australian Standards AS/NZS4766 \$335 50,000ltr \rightarrow Extra thick walls to last longer. \rightarrow Double strength UV+ resin ensures ultimate protection against Australia's harsh sun \$7,790 Available in 22 Colours \rightarrow **STANDARD FITTINGS** DIA 4600 x H 3440mm Inlet H 3290mm \rightarrow 40mm brass outlet & SAVE ball valve for tanks 31,700ltr \$200 greater than 7,100ltrs \rightarrow 90mm overflow fitting RWT31700 → Mosquito proof \$4,590 *Heritage Green leaf screen SAVE H 3040mm Inlet H 2610mm \$250 22,500ltr RWT22500 DIA 3560 x H 2800mm Inlet H 2470mm bpa **O** YEARS free CERTIFIE * Beiae SAVF **\$195**

Slimline Tanks

FEATURES

- → Certified to Australian Standards AS/NZS4766
- Space-saving modern design \rightarrow
- → Moulded handgrips for easy lifting
- Available in 22 Colours \rightarrow

STANDARD FITTINGS

- \rightarrow 25mm brass outlet
- 90mm overflow \rightarrow



5,000ltr

PCST5000

1,990

L 3290 x W 1020mm. Inlet H 2010mm





Liquid Fertiliser Tanks



NEW SELF DRAINING - 100% DRAINAGE

New Self-Draining Liquid Fertiliser tanks allow complete washdown between seasons or mixes, minimising the chance of any contamination. By completely emptying the tank, no valuable liquid fertiliser is wasted.

CODE	SIZE	PRICE
LFTSDT23000	23,000 Litres	\$15,250
LFTSDT28000	28,000 Litres	\$16,250
LFTSDT33000	33,000 Litres	\$17,250

FEATURES

- → Heavy duty construction to suit liquids up to 1.5SG
- → Top fill kit 2" (50mm) SS camlock with ball valve
- ightarrow Sight tube level indicator
- \rightarrow 2" (50mm) SS outlet with ball valve
- \rightarrow 90mm Overflow (mesh screen)
- → 600mm Vented Screw Lid for easy access




Available in three colours Beige, Mist, Monument.



Download Drawings & Datasheets at polymaster.com.au





Self-Draining Tank Base

PolyPromos

September – November 2023 Spring Specials

Bulk Diesel Storage

Diesel Bunded Tank

FEATURES

- → Quality Italian Piusi 240V Diesel pump up to 70LPM
- → 6mtr hose with an automatic trigger nozzle
- → Digital level indicator
- → Bund alarm
- → Mechanical overfill protection
- → 2" Camlock & ball valve for quick filling
- → 30 micron water capture filter
- → Mechanical fluid meter
- → Lockable secure cabinet to house equipment
- ➔ External bunded tank and cabinet constructed of UV sun tough material

Mechanical fluid meter (digital available with Range

Piusi pump 240V / 70lpm (12V available with Range

 \rightarrow 5 year tank warranty





mage for illustrative purposes only



L 2500 x W 3062 x H 2710mm



1800 062 064 | polymaster.com.au

Visit our website for more polymaster.com.au





Earthing Rod

6m Diesel Hose

CODE	SIZE	PRICE
DSW5000+DK-240V	5,000ltr Diesel Bulk Storage Tank + Dispenser	\$8,540
DSW7000+DK-240V	7,000ltr Diesel Bulk Storage Tank + Dispenser	\$9,190
DSW10000+DK-240V	10,000ltr Diesel Bulk Storage Tank + Dispenser	\$9,965



Lockable Ball Valve

FEATURES

- → Complies to Australian Standards AS1940:2017 with approved bund
- \rightarrow 70LP Pump (56LPm on 12V unit)
- \rightarrow Plug & Play installation, easy to relocate if required.
- → UV resistant for Australian conditions
- High quality diesel grade material \rightarrow
- \rightarrow Quality Italian pumps available 240V & 12V
- \rightarrow Lockable pump
- Clock Type Level Gauge \rightarrow
- Galvanised Pipe work \rightarrow
- \rightarrow 2" Aluminium Camlock
- \rightarrow Water Captor Filter

- 2" Brass Outlet with Ball Valve \rightarrow
- Earthing Rod \rightarrow
- \rightarrow Breather Vents
- \rightarrow Mechanical Overfill Protection
- Auto Shutoff Nozzle \rightarrow
- 6m Diesel Hose and (4m on 12V) \rightarrow

PolyPromos

Prepare for Fire Season EARLY!

Compact Fire-Fighting Package



FEATURES

- → 650LPM @ head
- → High strength, lightweight polyethylene construction
- → Wear pads to allow airflow underneath and protect ute tray
- \rightarrow Integrally mounted pump saves tray space
- \rightarrow Adjustable nozzle with 12m of hose as standard
- → HR models include 36m hose reel

CODE	DESCRIPTION	PRICE	SAVE
FTRC400-55	400 ltr Compact Fire Package 5.5HP	\$3,190	\$360
FTRC400-55-HR	400 ltr Compact Fire Package 5.5HP with 36m hose and reel	\$3,850	\$400
FTRC600-55	600 ltr Compact Fire Package 5.5HP	\$3,350	\$400
FTRC600-55-HR	600 ltr Compact Fire Package 5.5HP with 36m hose and reel	\$4,090	\$460

Master Tub Troughs



FEATURES

- ightarrow Very strong, robust design
- \rightarrow 75mm bung for easy cleaning
- \rightarrow Full float protection
- \rightarrow 'Quick Release' float cover
- → Easy service 1" float valve
- → Higher rating valves available on request
- → Drain cap at very base of trough so max. amount of water will empty out when draining









700ltr, 1,000ltr, 1,300ltr

YOUR LOCAL DISTRIBUTOR